



## POSTERS ACEPTADOS

No.	TÍTULO DE LA CONTRIBUCIÓN Y AUTORES
34	<p><b>DISTRIBUTION OF EDIBLE ECTOMYCORRHIZAL MUSHROOMS IN GUATEMALA: ECTOMYCORRHIZAL GENERA AND ENDEMIC SPECIES COLLECTED FROM 1980 TO 2016</b></p> <p>Abdalla Herrera Faisal, Rafael Funes Tovar and Roberto Flores Arzú (Guatemala)</p>
35	<p><b>DIVERSITY OF ECTOMYCORRHYZAL FUNGI ASSOCIATED WITH <i>Pinus maximartinezii</i> AN ENDANGERED ENDEMIC SPECIES OF MEXICO</b></p> <p>Almaraz-Llamas Alejandra, Jesús Pérez-Moreno, Margarita Torres-Aquino, Faustino Hernández-Santiago, Magdalena Martínez Reyes and Ismael Hernández-Ríos (Mexico)</p>
36	<p><b>INFLUENCE OF TWO ECTOMYCORRHYZAL FUNGI ON THE BACTERIAL DIVERSITY OF MICROBIOME OF <i>Pinus greggi</i> MYCORRHIZOSPHERE</b></p> <p>Álvarez-Solis José David, María del Rosario Cardoso Villanueva, Jesús Pérez-Moreno, Beatriz Xoconostle-Cázares, Martín Eduardo Sánchez García, Luis Barragán Soriano (Mexico)</p>
37	<p><b>EDIBLE BOLETALES (BASIDIOMYCOTA) FROM THE REGIONS OF NORTHERN MOUNTAIN RANGE AND CENTRAL VALLEYS OF OAXACA STATE, MEXICO</b></p> <p>Ayala Vásquez Olivia, Jesús García Jiménez, Rigoberto Castro Rivera, Elvira Aguirre Acosta and Myriam Victores Aguirre (México)</p>
38	<p><b>TRADITIONAL KNOWLEDGE OF WILD EDIBLE FUNGI IN THE CENTRAL REGION OF THE MUNICIPALITY OF SANTA ANA JILOTZINGO, STATE OF MEXICO</b></p> <p>Bautista-Bautista Wendy Karen and Irene Frutis-Molina (Mexico)</p>
39	<p><b>ECTOMYCORRHIZAL FUNGAL COMMUNITY IN HIGH MOUNTAIN FOREST: LAST CHANCE TO MITIGATE CLIMATE GLOBAL CHANGE?</b></p> <p>Baeza Yajaira, Rosario Medel, Dora Trejo and Roberto Garibay-Ortjel (México)</p>
40	<p><b>COINOCULATION OF AN EDIBLE ECTOMYCORRHIZAL MUSHROOM AND MYCORRHIZAL HELPER BACTERIA IN THE PHYSIOLOGICAL ENHANCEMENT OF <i>Pinus montezumae</i></b></p> <p>Barragán Soriano José Luis, Jesús Pérez-Moreno, Juan José Almaraz Suárez, Moisés Graciano Carcaño Montiel and Karla Isabel Medrano Ortiz (Mexico)</p>
41	<p><b>PATAGONIA FUNGI trails and tastes: NOVEL USES OF NOVEL WILD EDIBLE FUNGI FROM PATAGONIAN FORESTS, ARGENTINA</b></p> <p>Barroetaveña Carolina, María Belén Pildain, Valeria Silva (Argentina)</p>



42	<p><b>THE DEATH CAP MUSHROOM (<i>Amanita phalloides</i>) MOVES TO A NATIVE TREE IN VICTORIA, BRITISH COLUMBIA</b></p> <p>Berch Shannon M., Paul Kroeger, Terrie Finston (<i>Canada</i>)</p>
43	<p><b>DIVERSITY AND MANAGEMENT OF WILD EDIBLE MUSHROOMS OF HIGH MOUNTAIN IN THE STATE OF MEXICO: WITH EMPHASIS ON ECTOMYCORRHIZAL SPECIES</b></p> <p>Burrola-Aguilar Cristina and Roberto Garibay-Orijel (<i>Mexico</i>)</p>
44	<p><b>DISTRIBUTION OF ECTOMYCORRHIZAL FUNGI IN BUSHY OAK SPECIES OF THE HIGH PLATEAU <i>POTOSINO-ZACATECANO</i> IN NORTHERN MEXICO</b></p> <p>Cabrera Rodríguez Alejandra, Margarita Torres Aquino, Jesús Pérez-Moreno, Jorge Alberto Flores Cano, Juan Felipe Martínez Montoya, Jorge Palacio Nuñez, Genaro Olmos Oropeza and Magdalena Martínez-Reyes (<i>Mexico</i>)</p>
45	<p><b>SYMBIOTIC PROPAGATION OF THREE SPECIES OF PINES IN THE COMMUNITY <i>FRESNO NICHÍ, SAN FELIPE DEL PROGRESO</i> IN THE STATE OF MÉXICO</b></p> <p>Cárdenas Camargo Israel, José Manuel Javier García and Mónica Rangel Villafranco (<i>Mexico</i>)</p>
46	<p><b>FIELD SURVIVAL OF TWO NEOTROPICAL PINES MYCORRHIZED WITH <i>Suillus pungens</i> AND <i>Thelephora terrestris</i> IN THE PRESENCE OF ALLELOPATHIC TREES</b></p> <p>Cardoso-Villanueva María del Rosario, Araceli López Gutiérrez, Beatriz Xoconostle-Cázares, Jesús Pérez-Moreno, Víctor Manuel Cetina Alcalá (<i>Mexico</i>)</p>
47	<p><b>METAGENOMIC CHARACTERIZATION OF THE MICROBIOMA ASSOCIATED WITH ECTOMICORRHIZAE OF TWO NEOTROPICAL PINES</b></p> <p>Cardoso-Villanueva María del Rosario, Beatriz Xoconostle-Cázares, Jesús Pérez-Moreno, Víctor M. Cetina Alcalá and Martín Eduardo Sánchez García (<i>Mexico</i>)</p>
48	<p><b>POTENTIAL OF <i>Pinus greggii</i> AND THE EDIBLE ECTOMYCORRHIZAL MUSHROOM <i>Suillus brevipes</i> FOR REFORESTATION OF HIGHLY DEGRADED SOILS</b></p> <p>Carrasco-Hernández Violeta, Jesús Pérez-Moreno, Dante Arturo Rodríguez-Trejo, Roberto Quintero Lizaola (<i>México</i>)</p>



49	<p><b>FIRST RECORD OF SYNTHESIS BETWEEN THREE ECTOMYCORRHIZAL EDIBLE MUSHROOMS AND <i>Pinus maximartinezii</i> A MEXICAN ENDANGERED NATIVE SPECIES</b></p> <p>Carrera-Martínez Anaitzi, Uzziel Ríos-García, Magdalena Martínez-Reyes, Jesús Pérez-Moreno, Vicente A. Velasco-Velasco, Oralia Fuentes-García, Alejandro Garzón-Trinidad and Juan A. Villegas-Olivera (<i>Mexico</i>)</p>
50	<p><b>TRAPPING FUNGAL SPORES TO STUDY AIRBORNE DISPERSION AND MUSHROOM EMERGENCE</b></p> <p>Castaño Carles, Jonàs Oliva, Juan Martínez de Aragón, Josu G. Alday, Javier Parladé, Joan Pera and José Antonio Bonet (<i>Spain and Sweden</i>)</p>
51	<p><b>EDIBLE AND ECTOMYCORRHIZAL MUSHROOMS FROM MILPA ALTA, MEXICO CITY</b></p> <p>Chávez-García Lisette, Sigfrido Sierra, Sandra Castro-Santiuste, Areli González-Mendoza, Aarón Gutiérrez-Sánchez, Daniela Guzmán-Ramírez, José de Jesus Ruiz-Ramos, Guadalupe Galván-Becerril, Lilia Pérez-Ramírez and Joaquín Cifuentes (<i>México</i>)</p>
52	<p><b>DIVERSITY OF BIOLUMINESCENT MUSHROOMS (AGARICALES) FROM MOIST MOUNTAIN CLOUDY FOREST FROM VERACRUZ, MEXICO</b></p> <p>Cortés Pérez Alonso, Rosario Medel Ortiz and Marko Gómez Hernández (<i>Mexico</i>)</p>
53	<p><b>BIODIVERSITY AND POTENTIAL USE OF THE MYCOLOGICAL RESOURCE, INCLUDING ECTOMYCORRHIZAL MUSHROOMS, IN THE LOW DECIDUOUS FOREST OF TIERRA CALIENTE, GUERRERO, MEXICO</b></p> <p>Cortés-Sarabia Jazmín and Gisselle Molina-Valenzuela (<i>México</i>)</p>
54	<p><b>ENDEMIC EASTERN MEDITERRANEAN OAK SPECIES AS HOSTS OF BLACK TRUFFLES</b></p> <p>Danay Ofer, Nirit Ezov, Lotem <u>Azoulay</u>, Hila Hanani, Tom Levi, Yoram Luzzati, Rafi Hallel and Dan Levanon (<i>Israel</i>)</p>
55	<p><b>TWO NEW SPECIES OF THE ECTOMYCORRHIZAL GASTEROID MUSHROOM <i>Calostoma</i> (Boletales) USED AS FOOD AMONG MIXE PEOPLE FROM SOUTHERN, MEXICO</b></p> <p>Deloya-Olvera Miriam, Sofía Virgen-Vásquez, Beatriz Xoconostle-Cazares, Martín E. Sánchez-García, Mario Jiménez-Ruiz, Juan J. Almaraz-Suárez, Jesús Pérez-Moreno (<i>Mexico</i>)</p>



56	<p><b><i>Amanita ayuukjaay</i> A NEW EDIBLE SPECIES OF THE CAESAR'S MUSHROOM COMPLEX, WITH BIOCULTURAL IMPORTANCE AMONG AYUUKJÄ'ÄY PEOPLE FROM OAXACA, MEXICO</b></p> <p>Deloya-Olvera Miriam, Sofía Virgen-Vásquez, Beatriz Xoconostle-Cazares, Martín E. Sánchez-García, Mario Jiménez Ruiz, Juan J. Almaraz-Suárez and Jesús Pérez-Moreno (Mexico)</p>
57	<p><b>UNDERSTANDING THE ECOLOGICAL INTERACTIONS BETWEEN MITES AND COLLEMBOLANS WITH MORELS (<i>Morchella</i> spp.)</b></p> <p>Díaz-Aguilar Irma, Marbella Beltrán-Rentería, Lizbeth Álvarez-Ramos and Jesús Pérez-Moreno (Mexico)</p>
58	<p><b>INOCULATION OF <i>Casuarina equisetifolia</i> WITH TWO EDIBLE ECTOMYCORRHIZAL ALLOPATRIC SPECIES NATIVE FROM MEXICO</b></p> <p>Díaz-Balbuena Yaritza, Juan Alfonso Villegas-Olivera, Jesús Pérez-Moreno, Jazmín Cortes-Sarabia, Juan José Almaraz-Suárez and Gerardo Mata (Mexico)</p>
59	<p><b>INOCULATION WITH TWO EDIBLE ECTOMYCORRHIZAL MUSHROOMS IN <i>Pinus greggii</i> PLANTS GROWN IN CONTAINERS WITH DIFFERENT VOLUMES</b></p> <p>Díaz-Balbuena Yaritza, Juan Alfonso Villegas-Olivera, Jesús Pérez-Moreno, Juan José Almaraz-Suárez, Gerardo Mata and Jazmín Cortes-Sarabia (Mexico)</p>
60	<p><b>CYTOTOXIC ACTIVITIES OF EIGHT EDIBLE FUNGI IN THE MARKET AND CHEMICAL CONSTITUENTS IN THE FRUITING BODIES OF <i>Sarcodon imbricatus</i></b></p> <p>Ming Zhang-Feng, Wang Yue-Hu, Zhao Ping, Yu Fu-Qiang (China)</p>
61	<p><b>MYCORRHIZATION OF <i>Pinus pseudostrabus</i> AND <i>P. greggii</i> USING SLURRIES OF TWO QUALITIES OF <i>Suillus pseudobrevipes</i></b></p> <p>Flores-Armas Leticia, Lizbeth Inocencia Morales-Rivera, Magdalena Martínez-Reyes, Faustino Hernández-Santiago, Jesús Pérez-Moreno, Carlos Cuevas-Suárez, Alfredo Hernández-Hernández and Héctor M. de los Santos-Posadas (Mexico)</p>
62	<p><b>COINOCULATION WITH ECTOMYCORRHIZAL AND ARBUSCULAR FUNGI IN TWO NEOTROPICAL PINE SPECIES</b></p> <p>Franco-Ramírez Alicia, Jesús Pérez-Moreno, Gabriela Sánchez-Viveros, Carlos R. Cerdán-Cabrera, Víctor M. Cetina-Alcalá, Juan J. Almaraz-Suárez, Magdalena Martínez-Reyes and Juan A. Villegas-Olivera (Mexico)</p>



63	<p><b>TEMPERATURE, pH AND <i>in vitro</i> GROWTH OF EDIBLE ECTOMYCORRHIZAL MUSHROOMS ASSOCIATED WITH <i>Pinus radiata</i> PLANTATIONS IN CHILE</b></p> <p>García-Rodríguez José Leonardo, Jesús Pérez-Moreno, Darcy Ríos-Leal, Patricia Saez-Delgado, Cristian Atala, Manuel Sánchez-Olate, Guillermo Pereira-Cancino (<i>Chile and Mexico</i>)</p>
64	<p><b>MYCORRHIZATION OF THE ENDANGERED SPECIES <i>Pinus maximartinezii</i> WITH WILD EDIBLE FUNGI IN A TRADITIONAL FOREST NURSERY</b></p> <p>Alejandro Garzón-Trinidad, Fuentes-García Oralia, Martínez-Reyes Magdalena, Hernández-Santiago Faustino, Pérez-Moreno Jesús, Cruz-Santiago O. Lemuel, Martínez-Santiago Daniel and Martínez-Bolaños Karen A. (<i>Mexico</i>)</p>
65	<p><b>GROWTH OF TWO MICORRHIZAL MUSHROOMS FROM SIERRA TARAHUMARA OF CHIHUAHUA, MEXICO UNDER TWO pH CONDITIONS AND SIX GROWING MEDIA</b></p> <p>Gómez-Flores Liliana de Jesús, Miroslava Quiñónez-Martínez, Fortunato Garza-Ocañas, Nina del Rocío Martínez-Ruiz and Florinda Jiménez-Vega (<i>México</i>)</p>
66	<p><b>IMPACT OF FOREST MANAGEMENT ON THE ECTOMYCORRHIZAL FUNGI DIVERSITY IN A CONIFER FOREST IN THE REGION CHIGNAHUAPAN, PUEBLA, MEXICO.</b></p> <p>Guarneros Hernández Ana María, Gema L. Galindo Flores, Citlalli Castillo Guevara Héctor Santos Luna Zendejas, Roberto Garibay Orijel, Yendi E. Navarro Noya (<i>México</i>)</p>
67	<p><b>NUTRITIONAL VALUE AND TOTAL PHENOLICS COMPOUNDS CONTAINED IN WILD AND CULTIVATED EDIBLE MUSHROOM, INCLUDING ECTOMYCORRHIZAL SPECIES</b></p> <p>Guzmán-de-Casa Atahualpa, Pedro Antonio García-Saucedo, Teresita del Carmen Ávila-Val, Salvador Aguirre-Paleo, Margarita Vargas-Sandoval and Maribel Gutiérrez-Contreras (<i>Mexico</i>)</p>
68	<p><b>ECOLOGICAL ASPECTS OF ECTOMICORRHYZAL FUNGI COLLECTED ON WOOD OF <i>Abies religiosa</i> IN CENTRAL MEXICO, INCLUDING EDIBLE SPECIES</b></p> <p>Guzmán-Ramírez Daniela Abigail, María Guadalupe Barajas-Guzmán and Sigfrido Sierra (<i>Mexico</i>)</p>
69	<p><b>ECTOMYCORRHIZAL FUNGI FROM <i>COFRE DE PEROTE</i> NATIONAL PARK: WITH EMPHASIS ON EDIBLE MUSHROOMS</b></p> <p>Guzmán-Olmos Rubén Fernando, Iván Oros-Ortega, Luis Alberto Lara-Pérez, Angel Isauro Ortiz-Ceballos, René Alberto Palestina, Martín Hassan Polo-Marcial, Juan Carlos Noa-Carrazan and Antonio Andrade-Torres (<i>Mexico</i>)</p>



70	<p><b>SELECTION OF RHIZOBACTERIAL STRAINS CAPABLE OF PROMOTING THE MYCELIAL GROWTH OF THE EDIBLE ECTOMYCORRHIZAL FUNGUS <i>Suillus</i> sp.</b></p> <p>Heredia-Acuña Cristina, Vivian Francisca Quiroz-Sarmiento and Juan J. Almaraz-Suarez (Mexico)</p>
71	<p><b>MYCORRHIZAL COLONIZATION AND HYDRAULIC CONDUCTIVITY OF <i>Pinus leiophylla</i> IN FLOODING CONDITIONS</b></p> <p>Hernández Morales Gleybis, Marcos Jiménez Casas, Jesús Pérez-Moreno, Hugo Ramírez Maldonado and Virginia Jacob Cervantes (Mexico)</p>
72	<p><b>BIOCHEMICAL, MORPHOLOGICAL AND GENETIC APPROXIMATION OF THE ECTOMYCORRHIZAL MUSHROOM <i>Amanita rubescens</i> COMPLEX IN MEXICO</b></p> <p>Hernández-Rico G. Nallely, Pablo Octavio Aguilar and Roberto Garibay-Origel (Mexico)</p>
73	<p><b>MORPHOLOGICAL AND GENETIC CHARACTERIZATION OF THE ECTOMYCORRHIZA FORMED BY <i>Rhizopogon roseolus</i> AND A NEOTROPICAL PINE FROM SOUTHWESTERN MEXICO</b></p> <p>Hernández-Santiago Faustino, Jesús Pérez-Moreno, Magdalena Martínez-Reyes, Aracely López-Gutiérrez, Karla Isabel Medrano Ortiz and Cristina Arteaga León (Mexico)</p>
74	<p><b>INTERACTION BETWEEN THE SOIL MESOFAUNA (ACARI AND COLLEMBOLA) AND EDIBLE ECTOMYCORRHIZAL MUSHROOMS IN THE MIXTEC REGION, OAXACA, MEXICO</b></p> <p>Hernández-Santiago Faustino, Irma Díaz-Aguilar, Jesús Pérez-Moreno, Enrique Ojeda-Trejo, Juan José Almaraz-Suarez, Beatriz Xocnostle-Cazares and Gerardo Mata (Mexico)</p>
75	<p><b>THE MUSHROOMS AND THE FIRST SUNRISE ACCORDING TO THE MIXTEC PREHISPANIC CODEX <i>YUTA TNOHO</i> DATED FROM EARLY FIFTEENTH CENTURY</b></p> <p>Hernández-Santiago Faustino, Jesús Pérez-Moreno and Magdalena Martínez-Reyes (Mexico)</p>
76	<p><b>EDIBLE ECTOMYCORRHIZAL MUSHROOMS FROM THE MONTANE CLOUD FOREST FROM “EL CIELO” BIOSPHERE RESERVE, TAMAULIPAS, MEXICO</b></p> <p>Hernández del Valle Juan Francisco, Jesús García Jiménez, Olivia Ayala Vásquez and Javier de la Fuente López (Mexico)</p>
77	<p><b>ANALYSIS OF ECTOMYCORRHIZAL AND BACTERIAL COMMUNITIES IN THE FORMATION OF SOIL AGGREGATES THROUGH THIN SECTIONS OF GIGA-IMAGES</b></p> <p>Jiménez-Martínez Arturo, Carmen Gutiérrez Castorena, Edgar Vladimir Gutiérrez Castorena, Enrique Suástegui Méndez and Jesús Pérez-Moreno (Mexico)</p>



78	<p><b>USES, ECOLOGICAL AND BIOCULTURAL IMPORTANCE OF WILD FUNGI IN THE SIERRA NORTE OF OAXACA, MEXICO</b></p> <p>Jiménez-Ruiz Mario, Alexanders López-García, Irais Santiago-Hernández, Ana Lisbeth Hernández-Hernández, Jesús Pérez-Moreno, Pablo Martínez-Antúnez, Virginia Cruz-Ramírez and Arturo Félix Hernández –Díaz (<i>Mexico</i>)</p>
79	<p><b>DIVERSITY OF ECTOMYCORRHIZAL FUNGI ASSOCIATED TO <i>Quercus glaucooides</i> AND <i>Q. potosina</i> IN A TEMPERATE FOREST IN CENTRAL MEXICO</b></p> <p>Juárez-Zacarías Eduardo, Citlalli Castillo-Guevara, Gema L. Galindo-Flores, Héctor Santos Luna Zendejas, Roberto Garibay-Orijel and Yendi E. Navarro Noya (<i>Mexico</i>)</p>
80	<p><b>SUSTAINABLE DEVELOPMENT OF THE TERFESS SECTOR</b></p> <p>Khabar Lahsen, Judith Evenaar (<i>Morocco and The Netherlands</i>)</p>
81	<p><b>TWO CRYPTIC SPECIES ARE PRESENT IN THE JAPANESE <i>Amanita caesareoides</i> POPULATION</b></p> <p>Kodaira Miyuki, Naoki Endo, Masaki Fukuda, Akiyoshi Yamada (<i>Japan</i>)</p>
82	<p><b>DIVERSITY OF MICRO-FAUNA IN GLASSHOUSE MYCORRHIZAL SEEDLINGS RESPONSIBLE FOR MYCORRHIZA GRAZING?</b></p> <p>Lan-Lan Huang, Wang Ran, Guerin-Laguette Alexis, Yu Fu-Qiang (<i>China and New Zealand</i>)</p>
83	<p><b><i>Scleroderma meridionale</i> ECTOMYCORRHIZAE WITH <i>Halimum halimifolium</i>: EXPANDING THE MEDITERRANEAN SYMBIOTIC REPERTOIRE</b></p> <p>Leonardi Marco, Maria-Alice Neves, Ornella Comandini and Andrea C. Rinaldi (<i>Italy and Brazil</i>)</p>
84	<p><b><i>Tricholoma matsutake</i> AFFECTS MICROBIAL COMMUNITIES ASSOCIATED WITH <i>Quercus semecarpifolia</i></b></p> <p>Li Qiang and Xiaolin Li (<i>China</i>)</p>
85	<p><b>TRADITIONAL KNOWLEDGE OF WILD FUNGI BETWEEN THE CHINANTEC PEOPLE OF SANTIAGO COMALTEPEC, OAXACA, MEXICO</b></p> <p>López García Alexanders, Mario Jiménez Ruiz, Jesús Pérez-Moreno, Virginia Cruz Ramírez and Pablo Antúnez (<i>Mexico</i>)</p>
86	<p><b>QUANTITATIVE ETHNOMICODOLOGY OF WILD FUNGI: A STUDY CASE IN SANTIAGO COMALTEPEC IN SOUTHEASTERN MEXICO</b></p> <p>López García Alexanders, Mario Jiménez Ruiz, Pablo Antúnez, Jesús Pérez Moreno and Virginia Cruz Ramírez (<i>Mexico</i>)</p>



87	<p><b>INOCULATION OF <i>Pinus pringlei</i> SHAW A NEOTROPICAL SPECIES WITH A RESTRICTED DISTRIBUTION WITH ECTOMYCORRHIZAL MUSHROOMS</b></p> <p>López Gutiérrez Araceli, Faustino Hernández-Santiago, Ebandro Uscanga Mortera, Antonio García Esteva, Víctor Manuel Cetina Alcalá, María del Rosario Cardoso-Villanueva, Beatriz Xoconostle-Cázares and Jesús Pérez Moreno (<i>Mexico</i>)</p>
88	<p><b>PRELIMINARY STUDY OF THE GENERA <i>Ramaria</i> AND <i>Phaeoclavulina</i> IN TEMPERATE FORESTS OF THE DISTRICT OF IXTLÁN DE JUÁREZ, OAXACA, MEXICO</b></p> <p>López López Erangelio, Virginia Ramírez Cruz and Margarita Villegas Ríos (<i>Mexico</i>)</p>
89	<p><b>INFLUENCE OF THREE CULTURE MEDIA AND pH IN THE <i>in vitro</i> MYCELIAL GROWTH OF THE EDIBLE ECTOMYCORRHIZAL MUSHROOM <i>Hebeloma mesophaeum</i></b></p> <p>Lorenzana-Fernández Armando, Jesús Pérez-Moreno, Ronald Ferrera-Cerrato, Beatriz Xoconostle-Cázares, Margarita-Torres Aquino and Magdalena Martínez-Reyes (<i>Mexico</i>)</p>
90	<p><b>EFFECT OF RHIZOBACTERIAL FILTRATES ON MYCELIAL GROWTH OF THE EDIBLE ECTOMYCORRHIZAL FUNGUS <i>Suillus</i> sp.</b></p> <p>Martínez-Anastasio Areli Yacsel, Deisy Yubeli Pineda-Mendoza, Juan J. Almaraz-Suarez and Gabriela Sánchez-Viveros (<i>Mexico</i>)</p>
91	<p><b>ECTOMYCORRHIZAL ABILITY OF <i>Pinus eldarica</i> TO ESTABLISH SYMBIOSIS WITH THREE SPECIES OF MACROMYCETE MUSHROOMS OF THE SIERRA TARAHUMARA, FROM NORTHERN MEXICO</b></p> <p>Martínez-Escobedo Neida, Miroslava Quiñónez-Martínez and Miguel Ángel Viveros-Pinto (<i>Mexico</i>)</p>
92	<p><b>BASIDIOMATA FORMATION OF TWO EDIBLE ECTOMYCORRHIZAL MUSHROOMS IN ASSOCIATION WITH TWO NEOTROPICAL PINES IN GREENHOUSE</b></p> <p>Martínez-Reyes Magdalena, Jesús Pérez-Moreno, Beatriz Xoconostle-Cázares, Luis Villarreal-Ruiz, Ronald Ferrera-Cerrato, J. Jesús Vargas-Hernández and Mario Honrubia-García † (<i>Mexico and Spain</i>)</p>
93	<p><b>PLANT DEVELOPMENT OF <i>Quercus castanea</i> INOCULATED WITH <i>Hebeloma mesophaeum</i> AND IRRIGATED WITH ALLOTROPIZED WATER IN A GREENHOUSE: AN EXPLORATORY STUDY</b></p> <p>Monroy Ata Arcadio, Mercedes Vázquez Naranjo, Jazmín Berenisse Hernández Martínez, Ramírez Saldívar Karen Yadira, Yolanda Maribel Flores Estrada and Esther Matiana García Amador (<i>Mexico</i>)</p>





<p>94</p>	<p><b>ECTOMYCORRHIZAL MORPHOTYPES OF <i>Pinus pringlei</i> IN A PRESERVED AREA OF NATURAL FORESTS IN GUERRERO, MEXICO</b></p> <p>Morales-Gutiérrez Mario C., G. Joselyn Téllez-Espinosa, Rosalva García-Sánchez, Magdalena Martínez-Reyes, Faustino Hernández-Santiago, Jesús Pérez-Moreno and Héctor M. de los Santos-Posadas (<i>Mexico</i>)</p>
<p>95</p>	<p><b>PERCENTAGE OF ECTOMYCORRHIZAL COLONIZATION IN <i>Pinus greggii</i> ORIGINATED BY THE INOCULATION WITH DIFFERENT DOSES OF THE EDIBLE MUSHROOM <i>Laccaria proxima</i></b></p> <p>Morales-Rivera Lizbeth Inocencia, Leticia Flores-Armas, Faustino Hernández-Santiago, Magdalena Martínez-Reyes, Jesús Pérez-Moreno and Cesar Enrique Martínez-Maldonado (<i>Mexico</i>)</p>
<p>96</p>	<p><b>EFFECT OF <i>T. melanosporum</i> ON SURROUNDING SOIL MYCOLOGICAL DIVERSITY</b></p> <p>Oliach Daniel, Carles Castaño, Christine Fischer, José Antonio Bonet and <u>Carlos Colinas</u> (<i>Spain</i>)</p>
<p>97</p>	<p><b>IMPORTANCE OF THE STUDY OF THE MYCOLOGICAL RESOURCES FOR SUSTAINABILITY AND TRADITIONAL KNOWLEDGE IN THE STATE OF MEXICO</b></p> <p>Padilla Ruiz María del Carmen, Mónica Rangel Villafranco and Israel Cárdenas Camargo (<i>Mexico</i>)</p>
<p>98</p>	<p><b>HYPOGEOUS FUNGI FROM THE PROTECTED NATURAL AREA CUENCA DE LA ESPERANZA IN GUANAJUATO, MÉXICO</b></p> <p>Peña Ramírez Rafael and Gonzalo Guevara Guerrero (<i>Mexico</i>)</p>
<p>99</p>	<p><b>POTENCIAL USE AND DISTRIBUTION OF SPECIES OF <i>BOLETUS</i> IN MEXICO</b></p> <p>Pérez-Silva Evangelina and Teófilo Herrera (<i>Mexico</i>)</p>
<p>100</p>	<p><b>INOCULATION WITH TWO ECTOMYCORRHIZAL EDIBLE FUNGI IN <i>Pinus cembroides</i> subsp. <i>orizabensis</i> A DROUGHT-RESISTANT SPECIES</b></p> <p>Pérez-Téllez Jonathan, Magdalena Martínez-Reyes, Faustino Hernández-Santiago, Jesús Pérez-Moreno, Magda Elizabeth Marín-Beltrán, Ronald Ferrera-Cerrato and Héctor M. de los Santos Posadas (<i>Mexico</i>)</p>
<p>101</p>	<p><b>BIOTECHNOLOGICAL APPLICATION OF PLANT GROWTH PROMOTING BACTERIA AND <i>Laccaria laccata</i> IN THE GROWTH OF <i>Pinus patula</i></b></p> <p>Portillo-Manzano Elizabeth, Lucía López-Reyes, Armando Tapia-Hernández, Jesús Pérez-Moreno, Magdalena Martínez-Reyes and Moisés Graciano Carcaño-Montiel (<i>Mexico</i>)</p>



102	<p><b>SEASONAL DYNAMICS OF EXTRARADICAL MYCELIUM AND MYCORRHIZAS IN A BLACK TRUFFLE (<i>Tuber melanosporum</i>) PLANTATION</b></p> <p>Queralt Mikel, Javier Parladé, Joan Pera and Ana María De Miguel (<i>Spain</i>)</p>
103	<p><b>ETHNOMYCOLOGY OF THE TLAHUICA-PJIEKAKJOO CULTURE OF THE STATE OF MEXICO</b></p> <p>Ramirez-Carbajal Eliseete, Magdalena Martínez-Reyes, Jesús Pérez-Moreno, Lucero Gonzales-García, Mónica Rangel-Villafranco and Israel Cárdenas-Camargo (<i>Mexico</i>)</p>
104	<p><b>MYCORRHIZAL COLONIZATION AND MORPHOTYPE RICHNESS ASSOCIATED WITH THE GROWTH OF <i>Abies religiosa</i> IN THREE SUBSTRATES</b></p> <p>Ramírez-Razo Karina, Jesús Pérez-Moreno, Magdalena Martínez-Reyes and Juan José Almaraz Suárez (<i>Mexico</i>)</p>
105	<p><b>INOCULATION OF TWO EDIBLE FUNGI AND NATIVE SOIL IN <i>Pinus hartwegii</i>, GROWTH AND MYCORRHIZATION</b></p> <p>Ramírez-Razo Karina, Jesús Pérez-Moreno, Magdalena Martínez-Reyes and Juan José Almaraz-Suárez (<i>Mexico</i>)</p>
106	<p><b>CULTURAL IMPORTANCE OF NON-EATING FUNGI IN TWO COMMUNITIES OF LA MALINTZI VOLCANO TLAXCALA, MEXICO</b></p> <p>Ramírez-Terrazo Amaranta, Adriana Montoya, Javier Caballero and Roberto Garibay-Orijel (<i>Mexico</i>)</p>
107	<p><b>MYCORRHIZAL SYNTHESIS OF <i>Tuber</i> spp. AND INDIGENOUS HOSTS IN SOUTHWESTERN CHINA</b></p> <p>Ran Wang, Wang Yun, Guerin-Laguet Alexis, Yu Fu-Qiang (<i>China and New Zealand</i>)</p>
108	<p><b>ETHNOMYCOLOGICAL STUDY OF THE MAZAHUA COMMUNITIES NEARBY XOCOTÉPETL MOUNTAIN, MUNICIPALITY OF JOCOTILÁN IN THE STATE OF MEXICO</b></p> <p>Rangel Villafranco Monica and Aurora Martínez García (<i>Mexico</i>)</p>
109	<p><b>FIRST RECORD OF THE ECTOMYCORRHIZAL SYNTHESIS BETWEEN <i>Laccaria proxima</i> AND <i>Quercus uxoris</i> A VULNERABLE SPECIES OF THE MOIST MONTANE CLOUDY FOREST OF THE MAZATEC REGION, MEXICO</b></p> <p>Rios-García Uzziel, Anaitzi Carrera-Martínez, José Cristóbal Leyva-López, Jesús Pérez-Moreno, Magdalena Martínez-Reyes and Faustino Hernández-Santiago (<i>Mexico</i>)</p>
110	<p><b><i>Eremiomyces innocentii</i>, A NEW DESERT TRUFFLE FROM THE CANARY ISLAND</b></p> <p>Rodríguez Antonio, Juan Julián Bordallo, Vicente Escobio and Asunción Morte (<i>Spain</i>)</p>



111	<p><b>GERMINATION AND GROWTH OF <i>Abies religiosa</i> SEEDLINGS INOCULATED WITH TWO ECTOMYCORRHIZAL MUSHROOMS</b></p> <p>Rodríguez-Gómez Tagle Gabriela, Chávez-Aguilar Griselda and Burrola-Aguilar Cristina (Mexico)</p>
112	<p><b>MYCORRHIZATION OF <i>Pinus montezumae</i> WITH SYMPATRIC AND ALLOPATRIC EDIBLE ECTOMYCORRHIZAL SPECIES OF <i>Laccaria</i> spp.</b></p> <p>Rodríguez-Gutiérrez Ibeth, Daniel Ramírez-Martínez, Virginia Jacob-Cervantes and Jesús Pérez-Moreno (Mexico)</p>
113	<p><b>TRADITIONAL ETHNOMYCOLOGICAL KNOWLEDGE AMONG THE MEXICAN ETHNIC GROUP <i>HIÚ HU</i> OR <i>OTOMÍ</i> IN THE COMMUNITIES OF HUIXQUILUCAN, MEXICO</b></p> <p>Rodríguez-Gutiérrez Ibeth, Laura P. Casimiro-Hermenegildo, Pablo Delgado-Zúñiga and Francisco D. López-Gómez (Mexico)</p>
114	<p><b>DIVERSITY OF EDIBLE, MEDICINAL AND TOXIC MUSHROOMS IN ATATLAHUCA AND CUQUILA, FROM CENTRAL VALLEYS OF OAXACA, MEXICO</b></p> <p>Rojas-Velasco Alicia and Javier Martínez García (Mexico)</p>
115	<p><b>MYCOGASTRONOMY AND NUTRITIONAL CONTENTS OF EDIBLE ECTOMYCORRHIZAL MUSHROOMS AND ITS IMPORTANCE IN THE CONSERVATION OF MONTANE CLOUD FOREST IN MEXICO</b></p> <p>Román-Andrade Noema; Velasco-Velasco Joel; Hernández-Cázares Aleida S; Real-Luna Natalia, Pérez-Moreno Jesús and Magdalena Martínez-Reyes (Mexico)</p>
116	<p><b>ECTOMYCORRHIZAL MUSHROOMS: TASTY FOOD FROM SAN MIGUEL AJUSCO, TLALPAN, MEXICO CITY</b></p> <p>Ruiz-Ramos José de Jesús, Sigfrido Sierra, Lisette Chávez-García, Areli González-Mendoza, Aarón Gutiérrez-Sánchez, Daniela Guzmán-Ramírez, Sandra Castro-Santiuste, Lilia Pérez-Ramírez and Joaquín Cifuentes (Mexico)</p>
117	<p><b>GROWTH AND NUTRIENT CONTENT OF <i>Pinus ayacahuite</i> INOCULATED WITH <i>Suillus granulatus</i> IN THE NORTHERN MOUNTAIN RANGE OF OAXACA, MEXICO</b></p> <p>Santiago-Hernández Irais, Jesús Pérez-Moreno, Mario Jiménez-Ruiz, Pablo Martínez-Antúnez and Arturo F. Hernández-Díaz (Mexico)</p>
118	<p><b>DIVERSITY OF HYPOGEOUS FUNGI IN CHINA</b></p> <p>Shan-ping Wan and Yu Fu-Qiang (China)</p>



119	<p><b>EDIBLE <i>Cortinarius</i> MUSHROOMS IN GUATEMALA: DESCRIPTION OF SPECIES SOLD IN RURAL MARKETS OF CENTRAL GUATEMALA</b></p> <p>Valverth Jorge, Rafael Funes Tovar, Faisal Abdalla Herrera and Roberto Flores Arzú (Guatemala)</p>
120	<p><b>SAPROTROPH AND ECTOMYCORRHIZAL SPECIES IN A MIX FORESTS IN THE MUNICIPALITY OF VILLAPINZÓN, IN CUNDINAMARCA, COLOMBIA</b></p> <p>Vargas Natalia, Silvia Restrepo and Nubia Velasco (Colombia)</p>
121	<p><b>SOCIALIZING CONSERVATION ASPECTS OF MACROFUNGI IN OAK FORESTS</b></p> <p>Vargas Natalia and Silvia Restrepo (Colombia)</p>
122	<p><b>RAPID ASSESSMENT OF MACROFUNGAL DIVERSITY (PHYLA BASIDIOMYCOTA AND ASCOMYCOTA) IN ECOSYSTEMS OF EL PEÑÓN, SANTANDER, COLOMBIA</b></p> <p>Vargas Natalia and Silvia Restrepo (Colombia)</p>
123	<p><b>INOCULATION OF <i>Pinus oocarpa</i> WITH SLURRIES OF THREE ECTOMYCORRHIZAL EDIBLE FUNGI FROM MEXICO</b></p> <p>Villegas-Olivera Juan Alfonso, Jesús Pérez-Moreno, Juan José Almaraz-Suárez, Gerardo Mata and Enrique Ojeda-Trejo (Mexico)</p>
124	<p><b>TYPE OF LIGHT, BASIDIOMATA FREQUENCY AND DEVELOPMENT OF TWO SPECIES OF EDIBLE ECTOMYCORRHIZAL MUSHROOMS ASSOCIATED WITH NEOTROPICAL PINES</b></p> <p>Villegas-Olivera Juan Alfonso, Jesús Pérez-Moreno, Gerardo Mata, Juan José Almaraz-Suárez, Enrique Ojeda-Trejo and Vicente Espinosa-Hernández (Mexico)</p>
125	<p><b>HOW CHINESE BLACK TRUFFLE (<i>Tuber indicum</i>) ECTOMYCORRHIZAE REJECT SPECIFIC MATING TYPES ?</b></p> <p>Yu Fu, Lei Ye, Xiaoping Zhang, Qun Sun and Xiaolin Li (China)</p>
126	<p><b>DESERT TRUFFLES NATURAL MYCORRHIZAL ASSOCIATION WITH <i>Helianthemum lippii</i> AND <i>Helianthemum ledifolium</i> IN THE PROVINCE OF FIGUIG IN EASTERN MOROCCO</b></p> <p>Zohra Bermaki Fatima and Lahsen Khabar (Morocco)</p>
127	<p><b>CO-INOCULATION OF AN EDIBLE ECTOMICORRHIZAL FUNGUS AND A MYCORRHIZAL HELPER BACTERIA IN THE GROWTH AND PHYSIOLOGY OF <i>Pinus cembroides</i> IN THREE SUBSTRATES</b></p> <p>Zúñiga Cruz Abigail Janice; Jesús Pérez-Moreno, Magdalena Martínez-Reyes and Juan José Almaraz Suárez (Mexico)</p>